



WWW.SMITYBILT.COM

Receiver Winch Cradle Part # 2811

Note: Read instructions entirely before assembling this product.

Parts Included	Qty	Parts Included	Qty
Main Base Plate	1	10mm Ny-lock Nut	8
Gear Side Handle	1	10mm x 20mm Bolt	8
Motor Side Handle	1	Flat Washer	8



Winch cradle can handle most winches up to 12k lb. Keep in mind the capacity of your hitch, as it may be rated lower than the winch cradle and/or winch.



For Technical Support/Warranty Information please call 310-762-9944

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220



Receiver Winch Cradle Part # 2811

Step 1: Set main base plate on a flat surface. (Fig A)

Step 2: Install the gear box handle (Shorter handle) on the right side of the main base plate with the included 10mm hardware. The base of the handle goes on the outside of the base plate. (Fig A)

Step 3: Install the motor side handle (Longer handle) on the left side of the main base plate with the included 10mm hardware. The base of the handle goes on the outside of the base plate. (Fig A)




Fig A




Fig B

Step 4: Depending on the brand and style of the winch you are mounting you may need to reverse the bolts used on the handle and fairlead (Bolts going from inside toward the outside) in order for them not to rub on your particular winch models uprights/legs. (Fig C)

Step 5: On some model winches that have the clutch lever on the end of the gear box instead of on top, it may be necessary to switch the handles. (Attach the longer handle on the gear box side and the shorter handle on the motor side). Some winches with armor plating may need to have the armor removed for added clearance.

Step 6: Assembly of the cradle is now complete. Make sure all hardware is tightened completely.

For Technical Support/Warranty Information please call 310-762-9944

Smittybilt, 400 West Artesia Blvd, Compton, CA 90220



**Receiver Winch Cradle
Part # 2811**




Fig C




Fig D

On some model winches that have the clutch lever on the end of the gear box instead of on top, it may be necessary to switch the handles. (Attach the longer handle on the gear box side and the shorter handle on the motor side)

Depending on the brand and style of the winch you are mounting you may need to reverse the bolts used on the handle and fairlead (Bolts going from inside toward the outside) in order for them not to rub on your particular winch models uprights/legs.

Note: It is recommended to connect any winch wires/control box to the winch per manufacturers instructions prior to installing winch on the winch cradle.



**Receiver Winch Cradle
Part # 2811**



**WARNING: Cancer and Reproductive Harm -
www.P65Warnings.ca.gov.**

Jeep, Wrangler, Cherokee, Grand Cherokee and Gladiator are a registered trademark of FCA USA. Smittybilt is not in any way associated with FCA USA.

Limited Warranties

Smittybilt's products are covered under the following limited warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Subject to the duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. All other warranties and representations express or implied, are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card.

Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion.

1. Limited Five (5) Year / 50,000 Mile Pro-Rata Warranty (whichever occurs first) on Dual-Stage Powder Coating Products -

Smittybilt dual-stage powder coated products carry the foregoing limited repair or replacement warranty for a period of (5) years or 50,000 miles (whichever occurs first) from date of purchase against workmanship and defects in the material, provided that any claim submitted after (2.5) years from date of purchase shall, if accepted, be satisfied by Smittybilt offering customer a credit on the purchase of a replacement product equal to fifty percent (50%) of customer's initial purchase price.

To assure product quality, Smittybilt reserves the right to change product design, material, specification and finishes without prior notice to customers. This limited warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply as to you. Also, some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Smittybilt reserves the right to discontinue product lines and substitute products, or provide other remedies than those listed in this limited warranty for those discontinued products.