



Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401

NOTE: Carefully read entire instructions thoroughly before attempting to install this part. Photos are for illustration purposes and actual product may vary. Install remains the same

Cargo cover is convertible to allow for maximum protection whether you have the rear seats up or down.



For Technical Support/Warranty Information please call 310-762-9944
Smittybilt, 400 W. Artesia Blvd Compton, CA 90220



WWW.SMITTYBILT.COM

Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401



Step 1: Lower rear seats into the fully collapsed position. Then place liner into vehicle. Fig 1.



Step 2: Align slots in liner with the foot man loops in the bed. Fig 2.



Step 3: Pull up the sides towards the edge of the body tub. Secure cover around roll bar with the Velcro enclosure. Fig 3




WWW.SMITTYBILT.COM

Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401



Step 5: Fold up front seat back cover and attach head rest loop around front seat head rest on both sides. Fig 4 and 5.

Step 6: Fold out rear door covers and secure them to the Velcro on the front seat back cover. Ensure rear seat belts pass thru the slot in the cover. Fig 6.





WWW.SMITYBILT.COM

Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401




Fig 7

Step 7: Tuck the beaded edging into the gap between the body tub and the plastic trim. You may need to use a wooden or plastic spatula to get into the tight area near the roll bar. Fig 7.



Fig 8a

Fig 8b

Step 8: Locate the Velcro pieces that attach near the tail gate. Clean plastic area where Velcro will attach to with rubbing alcohol. Let dry completely before attaching the self stick Velcro to the corresponding area. Press firmly and allow adhesive to cure 24 hours before attaching the cargo liner to the Velcro. Fig 8a & 8b



WWW.SMITYBILT.COM

Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401



Fig 9

Rear bumper flap folded down to protect bumper.



Fig 10

Rear bumper flap folded up and secured with velcro strip



WWW.SMITYBILT.COM

Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401

To convert from full cover to cargo area only:

1. Fold rear door flaps towards center of cover. Fig 11.
2. Remove head rest straps then fold front seat back cover over the rear door flaps and secure with velcro. Fig 12.
3. Attach head rest straps around the rear seat headrest, then flip up rear seat.



Fig 11



Fig 12



WWW.SMITYBILT.COM

Installation Instructions
Cargo Liner 2018+JL 4 -door
Part# 87401

Limited Warranties

Smittybilt's products are covered under the following limited 1 year warranties only. Note that the duration of the limited warranty differs according to the material and finish of the product purchased. Subject to the 1 year duration and conditions of the limited warranty stated below, Smittybilt warrants to the original retail purchaser that its products are free from defects in material and workmanship. All other warranties and representations express or implied, are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose. All parts are sold "AS IS" except for the limited warranties granted herein. Buyer assumes all risks as to the selection, suitability and performance of all goods and products selected. This limited warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. Smittybilt is not responsible for items damaged during shipping. This warranty is not transferable from the original buyer. For the original Buyer to be eligible for the limited warranty coverage, the Buyer must provide proof of purchase. Smittybilt strongly recommends returning the warranty registration card.

Customer's remedy hereunder shall be limited only to repair or replacement (at Smittybilt's option) of any defective part(s) returned to Smittybilt at customer's expense. The determination of whether or not a returned part is defective or subject to coverage under the limited warranties stated herein shall be made at Smittybilt's sole discretion.

To assure product quality, Smittybilt reserves the right to change product design, material, specification and finishes without prior notice to customers. This limited warranty gives you specific legal rights and you may also have other rights, which may vary from state to state. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply as to you. Also, some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. Smittybilt reserves the right to discontinue product lines and substitute products, or provide other remedies than those listed in this limited warranty for those discontinued products.

Warning

Rollover and other types of vehicle accidents may result in serious injury or death to you, your passengers and others sharing the road. Smittybilt accessories are decorative and are not intended to reduce or avoid injury or damage in the event of an accident. The weight and location of Smittybilt accessories may affect your vehicles' handling, stability and performance, creating an increased risk of accident or rollover. Before installing any accessory, check state laws and assure that the accessory will not obscure any lights or interfere with proper operation on your vehicle's safety equipment. Consult your owner's manual and the Smittybilt instructions, or additional safety information. Smittybilt products, nor the warnings contained herein, are not a substitute for your safe driving. Don't drink and drive, always use seat belts and don't drive faster than conditions permit.